

2-Way Radios and Systems | MOTOTRBO DP4000 Ex Ma ATEX Portables


MOTOTRBO DP4000 Ex Ma ATEX Series Accessories

(EUR)

Pricing Information Valid As Of: Monday, April 18, 2022

Antennas

GPS Helical Antenna (136-147MHz) Ex • Type: Helical • Frequency Band: VHF • Frequency Range: 136-147MHz • GPS: Y • Colour Code: Yellow • Length (cm): 17 Part Number: PMAD4126A GPS HELICAL ANTENNA (136-147MHZ) EX Unit of Measure: EA CE: No RTTE: Yes G14-00





Part Number: PMAD	4130A		List Price
VHF STUBBY ANT 110 Unit of Measure: EA	- '	ON-GPS RTTE: Yes	€19.50

Wideband Antenna(136-174MHz)Ex Type: Double Helical


IMAGE COMING SOON Frequency Band: VHFFrequency Range: 136-174MHz


• GPS: N

Colour Code: White

• Length (cm): 22

Part Number: PMAD4132	Α			List Price
ANTENNA, STAMPED METAL, VHF WB 22CM				
ANT(136-174MHZ) NON-GPS			€24.50	
Unit of Measure: EA	CE: No	RTTE: Yes		







	UHF Folded Monopole (403-433MHz) Ex	e Antenna
	 Type: Monopole Frequency Band: UHF Frequency Range: 403-4: GPS: Y 	33MHz
	Colour Code:RedLength (cm): 14	
Part Number: PMAE4	••	List Price
DMR UHF+GPS FOLDI Unit of Measure: EA	ED MONOPOLE(403-433) CE: No RTTE: Yes	€16.00

Antennas (Continued)

UHF Folded Monopole Antenna (430-470MHz) Ex Type: Monopole Frequency Band: UHF Frequency Range: 430-470MHz GPS: Y Colour Code: Green

• Length (cm): 14

 Part Number: PMAE4082A
 List Price

 DMR UHF+GPS FOLDED MONOPOLE(430-470)
 €14.00

 Unit of Measure: EA
 CE: No RTTE: Yes





UHF Whip Antenna Ex (403-470MHz) • Type: Whip • Frequency Band: UHF • Frequency Range: 403-470MHz • GPS: N • Colour Code: Black

 Part Number: PMAE4085A
 List Price

 DMR UHF WHIP ANT(403-470MHZ)NON-GPS
 €14.00

 Unit of Measure: EA
 CE: No RTTE: Yes

Batteries



ATEX Ma IMPRES 2000mAh Li-Ion IP67 Battery

- Dimensions HxWxD(mm): 135x54.48x20.8
- Weight(g): 220g
- Chemistry: Lilon
- Typical battery life Analogue (Hrs): 16
- Typical battery life Digital (Hrs): 19
- Capacity[mAH]: 2000mAh (Typ)
- Intelligent: Y
- No. of Charge cycle: 500
- Energy Density (mAH/cm3): 22.13
- Operating Tem Range (°c): -10 to +50
- Memory Effect: No
- Requires Maintenance: Y
- IP Rating: IP67(IP64 within ATEX Environment)
- Intrinsic Safety Standard: ATEX MA
- Note: This battery is not approved for use with DP4000Ex Radios.

Part Number: NNTN8840A				List Price
BATTERY PACK, IMPRES LIION IECEX IP67 2000T				€292.00
Unit of Measure: EA	CE: Yes	RTTE: Yes		C232.00

Carry Solutions



2.5" Replacement Swivel Belt Loop

- Material: Hard Leather
- Attachment Type: Belt Loop
- Belt Swivel: Y
- Display/Non-Display: N/A

Part Number: PMLN56	10A		List Price
ACCESSORY KIT, 2.5 IN	CH SWIVEL	BELT LOOP	€11.00
Unit of Measure: EA	CE: No	RTTE: No	€11.00



Hard Leather Carry Case with 2.5" Swivel Belt Loop for Non-Display Radio

- Material: Hard leather
- Attachment Type: Belt loop
- Belt Swivel: Yes
- Quick Release of the Radio: Yes

Part Number: PMLN60	96A		List Price
HARD LEATHER CC 2.5	INCH SWL PL	_AIN	€59.50
Unit of Measure: EA	CE: No F	RTTE: No	€59.50



Soft Leather Carry Case with 2.5" Swivel Belt Loop for Non-Display Radio

- Material: Soft Leather
- Attachment Type: Belt loop
- Belt Swivel: Yes
- Quick Release of the Radio: Yes

Part Number: PMLN6098A				
SOFT LEATHER CC 2.5INCH SWL PLAIN				
Unit of Measure: EA	CE: No	RTTE: No	€50.00	



ATEX 2.5" Belt Clip

- Material: Plastic
- Attachment Type: With Belt
- Belt Swivel: NA
- Display/Non-Display: Both

Part Number: PMLN6086A			List Price
ATEX BELT CLIP 2.5 INCH			66.50
Unit of Measure: EA	CE: No	RTTE: No	€6.50



Hard Leather Carry Case with 2.5" Swivel Belt Loop for Display Radio

- Material: Hard Leather
- Attachment Type: Belt loop
- Belt Swivel: Yes
- Quick Release of the Radio: Yes

Part Number: PMLN6097A				List Price
HARD LEATHER CC 2.5INCH SWL FKP				€59.50
Unit of Measure: EA	CE: No	RTTE: No		€39.30



Soft Leather Carry Case with 2.5" Swivel Belt Loop for Display Radio

- Material: Soft Leather
- Attachment Type: Belt loop
- Belt Swivel: Yes
- Quick Release of the Radio: Yes

SOFT LEATHER CC 2.5INCH SWL FKP Unit of Measure: EA CE: No RTTE: No €51.00	Part Number: PMLN6099A	List Price
	SOFT LEATHER CC 2.5INCH SWL FKP Unit of Measure: EA CE: No RTTE: No	€51.00

Chargers and Conditioners



Wall Mount Bracket for ATEX Battery Maintenance Charger

- Weight: 1.5kg (without charger)
- Dimensions WxHxL (cm): 22.5 x 8 x 36.5
- Compatible with ST7500 and ST7000 6-way chargers, 6-way ATEX battery maintenance chargers for Mototrbo DP4401Ex DP4801Ex / TETRA MTP8500Ex MTP8550Ex: PMPN4308 (Euro cord) and PMPN4319 (UK cord)

Part Number: BR000271A01				List Price
BRACKET, WALL MOUN	Τ			€57.00
Unit of Measure: EA	CE: No	RTTE: No		€57.00



IMPRES Battery Data Reader

- This IMPRES Battery Reader enables IMPRES battery users to evaluate and maintain their IMPRES battery quality by collecting valuable information on battery performance.
- Note: Laptop and Radio are not included.

Part Number: NNTN739	2A		List Price
ASSY, KIT, IMPRES BAT	ΓERY DATA F	READER	€326.50
Unit of Measure: EA	CE: Yes F	RTTE: Yes	€320.50



Charger Interface Unit for IMPRES MUC

- Interfaces with IMPRES Multi Unit Chargers via DB-15 connector.
- Detects and reads Battery information from charger pockets.
- Powered through a Universal Serial Bus(USB)interface.
- Note: MUC is not included.

Part Number: NNTN767			List Price
FLEET MANAGEMENT (CHRGR INTER	RFACE UNIT	€139.00
Unit of Measure: EA	CE: Yes	RTTE: Yes	C133.00



Wall Mount Bracket for IMPRES 6-Way Multi-Unit Charger

- Weight: 2.128 kg (without charger)
- Dimensions WxHxL (cm): 41 x 22 x 26
- Compatible with IMPRES 6-way Multi-Unit Charger PMPNxxxxA kits for Mototrbo DP4000Ex/Ma Ex series ,DP4000/DP4000e series, DP3000 series, DP2000/DP2000e series and TETRA MXP600, MTP8000Ex series, MTP850Ex series, MTP3000 series, MTP6000 series
- Bracket design allows an audio accessory to remain attached

to the radio while charging - for example Remote Speaker Microphone

 Part Number: BR000272A01
 List Price

 BRACKET, WALL MOUNT, 6WAY MAINTENANCE MUC
 €67.00



IMPRES Vehicular Charger

In car charger for radio or stand alone battery. Hard wired to the car battery. 12V compatible.

Part Number: NNTN7616D			List Price
CHR IMP VEH EXT EU			€667.50
Unit of Measure: EA	CE: Yes	RTTE: No	6007.50



Travel Charger with VPA adaptor

- Dimensions HxWxD (mm):70x70x70
- Weight (Kg): 0.3 with Bracket
- Chemistry: Li-ION/NiMH
- Number of Pockets: 1
- Maintenance System: No
- Operating Voltage: 12 32 volt
- Line Cord: Other
- Display: No
- Charger Type: Rapid

Part Number: NNTN8525A			List Price
CHARGER TRAVEL			€167.50
Unit of Measure: EA	CE: Yes	RTTE: No	€ 107.50

Chargers and Conditioners (Continued)



Impres 6-Way Multi-Unit Charger with US cord for radio or battery

- Dimensions HxWxD(mm): 116 x 445 x 170
- Weight(kg): 2.2 (base only)
- Chemistry: NiMH, Lilon
- No. of Pockets: 6 (radio or battery charging)
- Intelligent: Yes IMPRES
- Operating voltage AC: 100-240VAC
- Operating temperature range: 0 to 50 degrees C
- · Line Cord: US
- Display: 1 (future feature: scalable to 6-unit display via SW upgrade - coming soon)
- MOTOTRBO Fleet management: integrated (does not require separate Charging Interface Unit CIU)
- Compatible wall mount bracket: BR000272A01

Part Number: PMPN4284A		
CHARGER DESKTOP MULT	I-UNIT IN	MPRES 2 1 DISPLAY
EXT PS 100-240VAC US/NA		
Unit of Measure: EA	CE: Yes	RTTE: No

List Price

€745.00



Impres 6-Way Multi-Unit Charger with UK cord for radio or battery

- Dimensions HxWxD(mm): 116 x 445 x 170
- Weight(kg): 2.2 (base only)
- Chemistry: NiMH, Lilon
- No. of Pockets: 6 (radio or battery charging)
- Intelligent: Yes IMPRES
- Operating voltage AC: 100-240VAC
- Operating temperature range: 0 to 50 degrees C
- Line Cord: UK
- Display: 1 (future feature: scalable to 6-unit display via SW upgrade - coming soon)
- MOTOTRBO Fleet management: integrated (does not require separate Charging Interface Unit CIU)
- Compatible wall mount bracket: BR000272A01

Part Number: PMPN4290A			List Price
CHARGER DESKTOP MULT	I-UNIT IN	MPRES 2 1 DISPLAY	
EXT PS 100-240VAC UK/HK			€745.00
Unit of Measure: EA	CE: Yes	RTTE: No	



Impres 6-Way Multi-Unit Charger with Euro cord for radio or battery

- Dimensions HxWxD(mm): 116 x 445 x 170
- Weight(kg): 2.2 (base only)
- Chemistry: NiMH, Lilon
- No. of Pockets: 6 (radio or battery charging)
- Intelligent: Yes IMPRES
- Operating voltage AC: 100-240VAC
- Operating temperature range: 0 to 50 degrees C
- · Line Cord: Euro
- Display: 1 (future feature: scalable to 6-unit display via SW upgrade - coming soon)
- MOTOTRBO Fleet management: integrated (does not require separate Charging Interface Unit CIU)
- Compatible wall mount bracket: BR000272A01

Part Number: PMPN4289A				List Price
CHARGER DESKTOP MULT EXT PS 100-240VAC EU	I-UNIT IN	MPRES 2 1 DISPLA	·Υ	€745.00
Unit of Measure: EA	CE: Yes	RTTE: No		C743.00



Impres ATEX Battery Maintenance 6-Way Charger Euro cord -Maintenance Only (no charging function)

- Dimensions HxWxD(mm): 116x445x170
- Weight(kg): 3.9
- Chemistry: Lilon
- No. of Pockets: 6 (battery only)
- Battery Compatibility: MOTOTRBO ATEX NNTN8359_& NNTN8840_; TETRA ATEX NNTN8570
- Maintenance and conditioning system only (excludes full charging functionalities): allows to manage State of Charge 25% / 50% / 75% for Lithium Ion transport and long term storage
- Operating voltage AC: 100-240VAC
- Line Cord: EURO
- Display: 1
- Charger Type: Impres battery management system
- Compatible wall mount bracket: BR000271A01

Part Number: PMPN43	808A		List Price
MAINTENANCE CHARG 2 1 DISPLAY EXT PS 10 Unit of Measure: EA	0-240VAC EU	 IMPRES	€742.00

Chargers and Conditioners (Continued)



Impres ATEX Battery Maintenance 6-Way Charger UK cord -Maintenance Only (no charging function)

- Dimensions HxWxD(mm): 116x445x170
- Weight(kg): 3.9
- · Chemistry: Lilon
- No. of Pockets: 6 (battery only)
- Battery Compatibility: MOTOTRBO ATEX NNTN8359_ & NNTN8840_; TETRA ATEX NNTN8570_
- Maintenance and conditioning system only (excludes full charging functionalities): allows to manage State of Charge 25% / 50% / 75% for Lithium lon transport and long term storage
- Operating voltage AC: 100-240VAC
- Line Cord: UK
- Display: 1
- Charger Type: Impres battery management system
- Compatible wall mount bracket: BR000271A01

Part Number: PMPN4319A		List Price
MAINTENANCE CHARGER 2 1 DISPLAY EXT PS 100-24 Unit of Measure: EA	DESKTOP MULTI-UNIT IMPRES OVAC UK/HK CE: Yes RTTE: No	€742.00

IMPRES Single Unit Charger (US Switch mode power supply)

IMAGE COMING SOON

- Dimensions LxWxH(mm): 88 x 94 x 51
- Weight(g): 110
- Chemistry: NiMH / Lilon
- No. of Pockets: 1
- Operating Voltage (Vac): 100-240
- Line Cord: US
- Display: No
- Charger Type: IMPRES

Part Number: PMPN4576A			List Price
CHARGER, CHGR DESKTOP	SINGLE	UNIT IMPRES EXT PS	
US/NA/TW			€76.50
Unit of Measure: EA	CE: Yes	RTTE: No	

IMPRES Single Unit Charger (UK Switch mode power supply)

- Dimensions LxWxH(mm): 88 x 94 x 51
- Weight(g): 110
- Chemistry: NiMH / Lilon
- No. of Pockets: 1
- Operating Voltage (Vac): 100-240
- Line Cord: UK
- Display: No
- Charger Type: IMPRES

Part Number: PMPN4572A			List Price
CHARGER, CHGR DESKTOP	SINGLE	UNIT IMPRES EXT PS	
UK/HK			€76.50
Unit of Measure: EA	CE: Yes	RTTE: No	

IMPRES Single Unit Charger (EURO Switch mode power supply)

IMAGE COMING SOON

IMAGE

COMING SOON

- Dimensions LxWxH(mm): 88 x 94 x 51
- Weight(g): 110
- Chemistry: NiMH / Lilon
- No. of Pockets: 1
- Operating Voltage (Vac): 100-240
- Line Cord: EURO
- Display: No
- Charger Type: IMPRES

Part Number: PiviPiN45//A	LIST Price	
CHARGER,CHGR DESKTOP SINGLE UNIT I EU	MPRES EXT PS €76.50	
Unit of Measure: EA CE: Yes RTTE: N		

Headsets



SAVOX ATEX HC-2 HELMET COM HEADSET

- ATEX approved: Yes
- Bone microphone
- Dual speaker
- Connector: Nexus 4-pole quick release plug
- For use with TETRA MTP8000EX SAVOX CC440 Com Control PTT or large nexus RSM TETRA MTP8000EX PMMN4093 / PMMN4109 - MOTOTRBO DP4000EX PMMN4094 / PMMN4110
- Note: For use with MOTOTRBO Radios the bone conduction microphone is suitable for use in analog mode only.

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Part Number: GMMN4	580A		List Price
0.00.00	AUDIO ACCESSORY-HE	EADSET, SAV	OX ATEX HC-2	
Unit of Measure: FA CF: Yes RTTF: Yes	HELMET COM			€463.50
CE. 165 TITE. 165	Unit of Measure: EA	CE: Yes	RTTE: Yes	



PELTOR ATEX Tactical Over-the-head Heavyduty Headset with boom mic

- · Receive via: Both ears
- Transmit via: Noise cancelling microphone
- Level dependent function for ambient listening
- PTT: Via PTT Cable PMLN6368A for DP4000Ex, via PMLN6728A for TETRA MTP850Ex/MTP810Ex and via PMLN6803A for TETRA MTP8500Ex series
- Electronic voice guided system
- Warning signal when power is low
- Last settings stored when switched off
- 2 x AA batteries included
- Intrinsic Safety Standard: ATEX

Part Number: PMLN609		List Price
TACTICAL HDBAND HD Unit of Measure: EA	SET W/ NEXUS,ATEX CE: Yes RTTE: Yes	€811.00



PELTOR ATEX Tactical Heavyduty headset with helmet attachment and boom mic

- Receive via: Both ears
- Transmit via: Noise cancelling microphone
- · Helmet attachment
- Level dependent function for ambient listening
- PTT: Via PTT Cable PMLN6368A for DP4000Ex, via PMLN6728A for TETRA MTP850Ex/MTP810Ex and via PMLN6803A for TETRA MTP8500Ex series
- Electronic voice guided system
- Warning signal when power is low
- Last settings stored when switched off
- 2 x AA batteries included
- Intrinsic Safety Standard: ATEX

Part Number: PMLN6089A	List Price
TACT HARDHAT MT HDSET W/ NEXUS,ATEX Unit of Measure: EA CE: Yes RTTE: Yes	€811.00



PELTOR ATEX PTT Adaptor for Peltor Headsets

- Designed to be used with Peltor headsets
- 0-360 Degree rotating Clothing clip
- Intrinsic Safety Standard: ATEX
- NOTE: The following 5 Peltor headsets have been certified for use with our ATEX radios:
- MT7H79F-50 ATEX headband headset with nexus jack
- MT7H79P3E-50 ATEX hardhat-mount headset with nexus jack
- MT72H540P3E-50 ATEX twin-cup hardhat-mount headset with nexus jack
- MT1H7F2-07-51 ATEX tactical headband headset with nexus jack
- MT1H7P3E2-07-51 ATEX tactical hardhat-mount headset with nexus jack

	List Price
ATEX PTT ADAPTER, NEXUS 4 POLE Unit of Measure: EA CE: Yes RTTE: Yes	€514.00

Headsets (Continued)



SAVOX ATEX HC-1 - HELMET COM HEADSET

- ATEX approved: Yes
- Bone microphone
- Single speaker
- Connector: Nexus 4-pole quick release plug
- Weight: 85g
- Size: 40x160mm
- For use with TETRA MTP8000EX SAVOX CC440 Com Control PTT or large nexus RSM TETRA MTP8000EX PMMN4093 / PMMN4109 MOTOTRBO DP4000EX PMMN4094 / PMMN4110
- For use with MOTOTRBO Radios the Bone Conduction Microphone is suitable for use in analog mode only.

		_		
Part Number: RMN5123	-			List Price
SAVOX ATEX HC-1 HEADSET			€319.50	
Unit of Measure: EA	CE: Yes	RTTE: Yes		00.000

Remote Speaker Microphones



SAVOX ATEX HC-2 HELMET COM HEADSET

- ATEX approved: Yes
- Bone microphone
- Dual speaker
- Connector: Nexus 4-pole quick release plug
- For use with TETRA MTP8000EX SAVOX CC440 Com Control PTT or large nexus RSM TETRA MTP8000EX PMMN4093 / PMMN4109 - MOTOTRBO DP4000EX PMMN4094 / PMMN4110
- Note: For use with MOTOTRBO Radios the bone conduction microphone is suitable for use in analog mode only.

Part	Number:	GMMI	N4580A

AUDIO ACCESSORY-HEADSET, SAVOX ATEX HC-2

Unit of Measure: EA CE: Yes RTTE: Yes

List Price

€463.50



Large Active Noise Cancelling Remote Speaker Microphone (IMPRES) with Nexus plug

- Active Noise Cancellation technology
- PTT: Front and Side PTT
- Belt Clip: Rotating with Metal Ring
- Audio Jack: 3.5mm
- Emergency Button: Yes
- Volume Control: Yes (Hi/Lo)
- Programmable Button: Yes
- Acoustic: Wind porting
- Intelligent Audio: Yes
- IP Rating: IP67
- Intrinsic Safety Standard: ATEX (Dust 2D, Mining M1)
- Requires Radio Firmware version R02.40.01 or higher
- Secondary Audio Accessory
 Compatibility: PMLN7188 Voice Tube,
 RMN5123 HC1 Single Speaker Headset,
 GMMN4580 HC2 Dual Speaker Headset,
 PMLN7535 Tactical Neckband Headset,
 PMLN7531 Basic Neckband Headset,
 PMLN6087 Over-The-Head Heavy-duty
 Headset, PMLN6089 Tactical Hardhat
 Headset, PMLN6090 Tactical
 Over-The-Head Headset, PMLN6092
 Basic Hardhat Headset and PMLN6333
 Twin Cup Hardhat Headset

			List Price	
ACCESSORY KIT, IMPRES A Unit of Measure: EA		RSM RTTE: Yes		€514.00



Receive only Earpiece with Translucent Tube and Eartip

- Operation: Attach to ATEX RSM PMMN4094A, PMMN4093A or PMMN4110A -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: ATEX

 Part Number: PMLN7188B
 List Price

 AUDIO ACCESSORY-EARPIECE, ENH ATEX 3.5MM
 EARPIECE W/TRAN TUBE

 Unit of Measure: EA
 CE: Yes RTTE: Yes



Large Omni-Directional Remote Speaker Microphone (IMPRES) with Nexus plug

- Omni-directional Microphone
- PTT: Front and Side PTT
- Belt Clip: Rotating with Metal Ring
- Audio Jack: 3.5mm
- Emergency Button: Yes
- Volume Control: Yes (Hi/Lo)
- Programmable Button: Yes
- Acoustic: Wind porting
- Intelligent Audio: Yes
- IP Rating: IP67
- Intrinsic Safety Standard: ATEX (Dust 2D, Mining M1)
- Requires Radio Firmware version R02.40.01 or higher
- Secondary Audio Accessory
 Compatibility: PMLN7188 Voice Tube,
 RMN5123 HC1 Single Speaker Headset,
 GMMN4580 HC2 Dual Speaker Headset,
 PMLN7535 Tactical Neckband Headset,
 PMLN7531 Basic Neckband Headset,
 PMLN6087 Over-The-Head Heavy-duty
 Headset, PMLN6089 Tactical Hardhat
 Headset, PMLN6090 Tactical
 Over-The-Head Headset, PMLN6092
 Basic Hardhat Headset and PMLN6333
 Twin Cup Hardhat Headset

				List Price
ACCESSORY KIT,IMPRES EX OMNI RSM STD				
CBL/NEX/20O			€556.00	
Unit of Measure: EA	CE: Yes	RTTE: Yes		

Remote Speaker Microphones (Continued)



SAVOX ATEX HC-1 - HELMET COM HEADSET

- ATEX approved: Yes
- Bone microphone
- Single speaker
- Connector: Nexus 4-pole quick release plug
- Weight: 85g
- Size: 40x160mm
- For use with TETRA MTP8000EX SAVOX CC440 Com Control PTT or large nexus RSM TETRA MTP8000EX PMMN4093 / PMMN4109 - MOTOTRBO DP4000EX PMMN4094 / PMMN4110
- For use with MOTOTRBO Radios the Bone Conduction Microphone is suitable for use in analog mode only.

Part Number: RMN5123A			List Price
SAVOX ATEX HC-1 HEADS	SET		€319.50
Unit of Measure: EA	CE: Yes	RTTE: Yes	€319.50

Miscellaneous Accessories



Replacement Parts



MOTOTRBO Portable Accessory Dust Cover

 Protects the radio accessory connector when Motorola Original accessories are not being used.

Part Number: 15012157001				
U_DUST COVER ASSEMBL	Y.			6750
Unit of Measure: EA	CE: No	RTTE: No		€7.50



Replacement Charging Insert for IMPRES 2 6-way multi-unit charger - Mototrbo series and TETRA ATEX

- Insert includes 3 pockets (tri-unit insert)
- Each pocket is radio or battery compatible
- Charger compatibility: Mototrbo and TETRA ATEX PMPN4289, PMPN4290, PMPN4284

Part Number: AS000129A01		
ADAPTER, CHARGING P	OCKET TRI UNIT	€107.00
Unit of Measure: EA	CE: No RTTE: No	€107.00

Replacement Parts (Continued)

Replacement Clip for Large RSM with Nexus jack

IMAGE

COMING SOON

- Type: replacement clip for RSM
 RSM compatibility: RMANANAO3
- RSM compatibility:PMMN4093, PMMN4094, PMMN4109, PMMN4110

Part Number: HW000331A01				
CLIP,BELTCLIP ASSEMBLY,CLIP,ASSEMBLY, CLIP, RSM				
Unit of Measure: EA CE: No RTTE: No	€11.50			

IMPRES Single Unit Charger - Base Only

- Dimensions LxWxH(mm): 88 x 94 x 51
- Weight(g): 110
- Chemistry: NiMH / Lilon
- No. of Pockets: 1
- Operating voltage AC: N/A
- Line Cord: N/A
- Display: No
- Charger Type: Impres

Part Number: PMPN4527A	-			List Price
CHARGER, CHGR DESKTOF	SINGLE	UNIT IMPRES	BASE	
ONLY EXT PS				€72.50
Unit of Measure: EA	CE: Yes	RTTE: No		

Service and Repair



MOTOTRBO Portable Programming Cable

- Cable to allow radio programming.
- Note: Only use PMKN4012B for DP4000
 Series

Part Number: PMKN40	12B			List Price
PORTABLE PROGRAMMING CABLE			€79.00	
Unit of Measure: EA	CE: No	RTTE: No		€/9.00



IMAGE

COMING SOON

MOTOTRBO Portable Programming, Test and Alignment Cable

- Cable to allow radio programming and testing.
- Note: Only use PMKN4013C onwards for DP4000 radio programming.

	List Price
PROGRAMMING, TEST & ALIGNMENT CABLE	€95.00
Unit of Measure: EA CE: Yes RTTE: No	C33.00

Software and Applications



MOTOTRBO CPS / RM Software DVD

- Software DVD containing:
- Customer Programming Software Version 16.0.
- Radio Management Version 2.11.45.0.
- Associated Tools
- Note 1: This version of CPS / RM supports up to MOTOTRBO system release R2.9 (including minor releases)
- Note 2: This version of CPS / RM contains an Italian help file format issue which has been fixed in the latest version which is available to download from Motorola Online (for details see R2.9.8 Release Notes).

		List Price		
SOFTWARE, MOTOTRBO CPS-RM DVD			€172.00	
Unit of Measure: EA	CE: No	RTTE: No		€172.00

MOTOTRBO CPS 2.0 / RM and Tools Software DVD

- IMAGE COMING SOON
- Software DVD containing:
- Customer Programming Software 2.0 Version 2.122.70.0.
- Radio Management Version 2.122.70.0.
- Associated Tools.
- Note: The provisioning and license management functionality is tested for up to three previous releases while the software update support is tested for up to five previous releases.

Part Number: GMVN6241G SOFTWARE,MOTOTRBO RM-CPS 2.0 DVD Unit of Measure: EA CE: No RTTE: No List Price €168.00

List Price

€20.00

sw

MOTOTRBO Connect Plus Radio EID Licence Key

 This orders the licence key to activate Connect Plus operation on the MOTOTRBO Portable/Mobile radios.

 A licence key per MOTOTRBO radio is required.

Part Number: HKVN406	9A		
CONNECT PLUS LICENS	E, EMEA		
Unit of Measure: FA	CF: No	RTTF: No	



AES Privacy Feature - Licence Key

- This orders the Licence key to activate the AES Privacy feature in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0x e / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- AES Privacy provides a 256 bit encryption solution for voice and data in digital mode.
- NOTE: The AES implementation introduced as part of system release R2.4 does NOT interoperate with the pre-R2.4 MOTOTRBO AES implementation. As such, all radios in an existing fleet with the pre-R2.4 AES implementation enabled must be upgraded to at least system release R2.4 before deploying any radios into that fleet with the new R2.4 AES implementation enabled.

Part Number: HKVN4241A			List Price
AES PRIVACY SUBSCRIBER	R LICENS	SE KEY	€258.00
Unit of Measure: EA	CE: No	RTTE: No	€256.00

MOTOTRBO CPS 2.0 / RM and Tools Software DVD

- Software DVD containing:
- Customer Programming Software 2.0 Version 2.110.235.0.
- Radio Management Version 2.110.235.0
- Associated Tools.
- Note: The provisioning and license management functionality is tested for up to three previous releases while the software update support is tested for up to five previous releases.

 Part Number: GMVN6241F
 List Price

 SOFTWARE,MOTOTRBO RM-CPS 2.0 DVD
 €168.00

 Unit of Measure: EA
 CE: No RTTE: No



IMAGE

COMING SOON

IMPRES FLEET MANAGEMENT Software Licence Key

• This orders the licence key of Fleet Management Software application.

Part Number: HKVN4037A EMEA FLEET MANAGEMENT LICENSE KEY Unit of Measure: EA CE: No RTTE: No

List Price €411.00

sw

MOTOTRBO Connect Plus Mandown Licence Key

 This orders the licence key to enable Mandown feature in the Connect Plus Radios.

Part Number: HKVN4073A
EM SUB CONNECT PLUS MAN DOWN OPTION
Unit of Measure: EA CE: No RTTE: No

List Price €59.00



Text to Speech Feature - Licence Key

- This orders the Licence key to activate Text to Speech in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- Text to Speech generates the voice announcement using a speech algorithm in the MOTOTRBO Radio.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4285		List Price
MOTOTRBO RADIO TEXT Unit of Measure: EA	CH LIC KEY RTTE: No	€12.00

Software and Applications (Continued)



Single Input Noise Cancellation (SINC+) - Licence Key

- This orders the Licence key to activate the Single Input Noise Cancellation (SINC+) feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0x / DM4x0x eradio.
- This feature offers certain enhanced noise suppression benefits using a standard microphone which are normally associated with more expensive dual microphone accessories.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4371A			List Price	
TRBO RADIO ENH NOISE CAN LIC KEY			€16.00	
Unit of Measure: EA	CE: No	RTTE: No		€10.00



Transmit Inhibit - Licence Key

- This orders the Licence key to activate the Transmit Inhibit feature in a DP34411/ DP3441e / DP3661e / DP4x0x DP4x0x / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it will not transmit any long range RF energy (note: this feature does NOT inhibit the radio's Bluetooth operations).
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN438			List Price
TRBO RADIO TX INHIBIT	LIC KEY		€20.00
Unit of Measure: FA	CF: No	RTTF: No	€20.00



MOTOTRBO Spanish Band Restriction Feature - Licence Key

- This orders the License Key needed to activate the Spanish Band Restriction feature in the CPS/RM application.
- The Spanish Band Restriction feature is supported by CPS Version 13.5 (Build 679) onwards.
- Once activated, the CPS/RM does not allow applicable devices to be configured into parts of the VHF/UHF band which have been disallowed by the Spanish regulatory authority.

Part Number: HKVN44	87A		List Price
LICENSE, SPAIN BAND	FREQUENCY F	RANGE	60.00
Unit of Measure: FA	CF: No R	TTF: No	€0.00



Authenticated Radio Disable -Licence Key

- This orders the Licence key to activate the Authenticated Radio Disable feature in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- This feature introduces an authentication procedure to ensure that target radios can only be disabled by authorised initiating radios/users.
- This feature needs to be activated in the target radios and is supported only by radios operating on Conventional Single Site / IPSC systems.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4382A		
TRBO RADIO AUTH DISABL	E LIC KEY	€50.00
Unit of Measure: EA	CE: No RTTE: No	€50.00



Software Value Pack 1 - Licence Key

- This Software Value Pack Licence orders both the Text to Speech and Single Input Noise Cancellation (SINC+) features for activation in a DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0x / DP4x01 Ex / DP4x01 Ex Ma / SL40x0 / SL40x0e / DM4x0x / DM4x0xe radio.
- The Text to Speech feature generates voice announcements using a speech algorithm in the MOTOTRBO Radio.
- The SINC+ feature offers certain enhanced noise suppression benefits using a standard microphone which are normally associated with more expensive dual microphone accessories.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4407A

TRBO SW VALUE PACK 1 LIC KEY

Unit of Measure: EA

CE: No RTTE: No

List Price

€20.00



Received Audio Leveling - Licence Key

- This orders the Licence key to activate the Received Audio Leveling feature in a DP1400 / DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM1x00 / DM2600 / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it provides an improved audio experience by introducing more consistent audio levels that compensate for differences between different transmit radios.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4497	-		List Price
LICENSE, MOTOTRBO RAD	IO RX A	UDIO LEVELING - EA	€13.00
Unit of Measure: EA	CE: No	RTTE: No	€13.00

Software and Applications (Continued)



Mute Mode - Licence Key

- This orders the Licence key to activate the Mute Mode feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x01 / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature provides the user with a quick way to mute a radio upon entering into a quiet environment such as joining an important meeting.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN44			List Price
LICENSE, MOTOTRBO	RADIO MUTI	E MODE - EA	€11.00
Unit of Measure: EA	CE: No	RTTE: No	€11.00



Response Inhibit - Licence Key

- This orders the Licence key to activate the Response Inhibit feature in a DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM2600 / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it will not generate any outgoing transmissions in response to unsolicited incoming transmissions.
- Note: This licence key is not required by certain radio models purchased after 18th Nov 2019 for which this is a Premium software feature activated as standard.

Part Number: HKVN4499A			List Price
LICENSE, MOTOTRBO RADIO RESPONSE INHIBIT - EA		€20.00	
Unit of Measure: EA	CE: No	RTTE: No	020.00